



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37

Customer: Silver Rain
Product identity: MOTS60, MOTS15, & RERO50 - Move Topical Spray & Recharge Topical Roll-On
Client/Metric ID: .
Laboratory ID: 24-002439-0002

Summary

Potency:

Analyte per 15ml	Result	Limits	Units	Status	
CBC per 15ml	23.3		mg/15ml		CBD-Total per Serving Size 360 mg/15ml
CBD per 15ml	359		mg/15ml		
CBD-A per 15ml	1.92		mg/15ml		THC-Total per Serving Size 14.6 mg/15ml
CBDV per 15ml	3.60		mg/15ml		(Reported in milligrams per serving)
CBG per 15ml	8.21		mg/15ml		
CBT per 15ml	2.43		mg/15ml		
Δ9-THC per 15ml	14.6		mg/15ml		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37

Customer: Silver Rain
711 Medford Center #385
Medford Oregon 97504
United States of America (USA)

Product identity: MOTS60, MOTS15, & RERO50 - Move Topical Spray & Recharge Topical Roll-On

Client/Metric ID: .

Sample Date:

Laboratory ID: 24-002439-0002

Evidence of Cooling: No

Temp: 15.1 °C

Relinquished by: shipping

Serving Size #1: 15 g

Density: 1.000 g/ml

Sample Results

Potency per 15ml	Method: J AOAC 2015 V98-6 (mod)	Units mg/se	Batch: 2401782	Analyze: 3/6/24	11:38:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 15ml	23.3		mg/15ml	0.483	
CBC-A per 15ml	< LOQ		mg/15ml	0.483	
CBC-Total per 15ml	23.3		mg/15ml	0.907	
CBD per 15ml	359		mg/15ml	4.83	
CBD-A per 15ml [±]	1.92		mg/15ml	0.483	
CBD-Total per 15ml [±]	360		mg/15ml	5.26	
CBDV per 15ml	3.60		mg/15ml	0.483	
CBDV-A per 15ml	< LOQ		mg/15ml	0.483	
CBDV-Total per 15ml	3.60		mg/15ml	0.902	
CBE per 15ml	< LOQ		mg/15ml	0.483	
CBG per 15ml	8.21		mg/15ml	0.483	
CBG-A per 15ml	< LOQ		mg/15ml	0.483	
CBG-Total per 15ml	8.21		mg/15ml	0.902	
CBL per 15ml	< LOQ		mg/15ml	0.483	
CBL-A per 15ml	< LOQ		mg/15ml	0.483	
CBL-Total per 15ml	< LOQ		mg/15ml	0.907	
CBN per 15ml	< LOQ		mg/15ml	0.483	
CBT per 15ml	2.43		mg/15ml	0.483	
Δ8-THCV per 15ml	< LOQ		mg/15ml	0.483	
Δ10-THC-9R per 15ml	< LOQ		mg/15ml	0.483	
Δ10-THC-9S per 15ml	< LOQ		mg/15ml	0.483	
Δ10-THC-Total per 15ml	< LOQ		mg/15ml	0.966	
Δ8-THC per 15ml [±]	< LOQ		mg/15ml	0.483	
Δ9-THC per 15ml [±]	14.6		mg/15ml	0.483	
delta-9-THCP per 15ml	< LOQ		mg/15ml	0.483	
exo-THC per 15ml	< LOQ		mg/15ml	0.483	
THC-A per 15ml [±]	< LOQ		mg/15ml	0.483	
THC-Total per 15ml	14.6		mg/15ml	0.907	
THCV per 15ml	< LOQ		mg/15ml	0.483	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37

Potency per 15ml		Method: J AOAC 2015 V98-6 (mod)		Units mg/se		Batch: 2401782		Analyze: 3/6/24 11:38:00 AM	
Analyte	Result	Limits	Units	LOQ	Notes				
THCV-A per 15ml	< LOQ		mg/15ml	0.483					
THCV-Total per 15ml	< LOQ		mg/15ml	0.907					
Total Cannabinoids per 15ml	412		mg/15ml						



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

Ⓜ = TNI accredited analyte.

Units of Measure

g = g

g/ml = Gram per milliliter

mg/15ml = Milligram per 15ml

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 0

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0316	0.0324	%	97.7	80.0	- 120	Acceptable	
CBDV	2	0.0351	0.0352	%	99.7	80.0	- 120	Acceptable	
CBE	2	0.0348	0.0359	%	96.8	80.0	- 120	Acceptable	
CBDA	1	0.0316	0.0319	%	99.1	90.0	- 110	Acceptable	
CBGA	1	0.0314	0.0316	%	99.4	80.0	- 120	Acceptable	
CBG	1	0.0359	0.0366	%	98.1	80.0	- 120	Acceptable	
CBD	1	0.0349	0.0355	%	98.2	90.0	- 110	Acceptable	
THCV	2	0.0337	0.0345	%	97.9	80.0	- 120	Acceptable	
d8THCV	2	0.0296	0.0304	%	97.4	80.0	- 120	Acceptable	
THCVA	2	0.0316	0.0323	%	97.8	80.0	- 120	Acceptable	
CBN	1	0.0332	0.0334	%	99.6	80.0	- 120	Acceptable	
exo-THC	2	0.0329	0.0338	%	97.2	80.0	- 120	Acceptable	
d9THC	1	0.0360	0.0355	%	101	90.0	- 110	Acceptable	
d8THC	1	0.0333	0.0339	%	98.1	90.0	- 110	Acceptable	
9S-d10THC	1	0.0331	0.0333	%	99.5	80.0	- 120	Acceptable	
CBL	2	0.0335	0.0340	%	98.3	80.0	- 120	Acceptable	
9R-d10THC	1	0.0320	0.0326	%	98.1	80.0	- 120	Acceptable	
CBC	2	0.0343	0.0352	%	97.4	80.0	- 120	Acceptable	
THCA	1	0.0311	0.0320	%	97.3	90.0	- 110	Acceptable	
CBCA	2	0.0335	0.0346	%	96.7	80.0	- 120	Acceptable	
CBLA	2	0.0338	0.0344	%	98.2	80.0	- 120	Acceptable	
d9THCP	2	0.0321	0.0336	%	95.6	80.0	- 120	Acceptable	
CBT	2	0.0336	0.0348	%	96.8	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBDV	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBE	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBDA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBGA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBG	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBD	<LOQ	0.00329	%	< 0.00329	Acceptable	
THCV	<LOQ	0.00329	%	< 0.00329	Acceptable	
d8THCV	<LOQ	0.00329	%	< 0.00329	Acceptable	
THCVA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBN	<LOQ	0.00329	%	< 0.00329	Acceptable	
exo-THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
d9THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
d8THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
9S-d10THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBL	<LOQ	0.00329	%	< 0.00329	Acceptable	
9R-d10THC	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBC	<LOQ	0.00329	%	< 0.00329	Acceptable	
THCA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBCA	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBLA	<LOQ	0.00329	%	< 0.00329	Acceptable	
d9THCP	<LOQ	0.00329	%	< 0.00329	Acceptable	
CBT	<LOQ	0.00329	%	< 0.00329	Acceptable	

Abbreviations
 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:
 % - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 0						
Sample Duplicate		Sample ID: 24-002439-0002						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBDV	0.0243	0.0240	0.00321	%	1.51	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBDA	0.0127	0.0128	0.00321	%	0.718	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBG	0.0530	0.0547	0.00321	%	3.11	< 20	Acceptable	
CBD	2.42	2.39	0.00321	%	1.15	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
d9THC	0.0981	0.0971	0.00321	%	1.06	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBC	0.157	0.155	0.00321	%	1.00	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBT	0.0163	0.0162	0.00321	%	0.292	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 24-002439/D003.R000
Report Date: 03/08/2024
ORELAP#: OR100028
Purchase Order:
Received: 03/04/24 14:37





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.